L Number	Hits		DB	Time stamp
-	235	(345/561).clss	USPAT;	2004/10/08 16:31
			US-PGPUB;	1
			EPO; JPO;	
			DERWENT; IBM TDB	
_	5536	((logical or boolean) with (operat\$4 or	USPAT;	2004/10/08 16:29
	0000	expression\$1 or value\$1 or variable\$1 or	US-PGPUB;	2004/10/00 10.23
		argument\$1 or parameter\$1 or function\$1 or	EPO; JPO;	•
		operand\$1)) and (source adj2 (code or	DERWENT;	
		program\$1))	IBM_TDB	
-	5262		USPAT;	2004/10/08 16:30
		expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or	US-PGPUB;	
İ		operand(1)) and (source adj2 (code or	EPO; JPO; DERWENT;	
		program\$1))) and ((statement\$1 or	IBM TDB	
	•	instruction\$1 or command\$1 or assignment\$1		
		or declarat\$4 or expression\$1))		
-	1268	'	USPAT;	2004/10/08 16:31
		or 717/144 or 326/7 or 326/104).clss	US-PGPUB;	
			EPO; JPO; DERWENT;	
		,	IBM TDB	
_	162	((((logical or boolean) with (operat\$4 or	USPAT;	2004/10/08 16:31
ļ		expression\$1 or value\$1 or variable\$1 or	US-PGPUB;	
		argument\$1 or parameter\$1 or function\$1 or	EPO; JPO;	
		operand\$1)) and (source adj2 (code or	DERWENT;	
		<pre>program\$1))) and ((statement\$1 or instruction\$1 or command\$1 or assignment\$1</pre>	IBM_TDB	
		or declarat\$4 or expression\$1))) and		
		(((717/117 or 717/114 or 717/143 or		
		717/142 or 717/144 or 326/7 or		
		326/104).clss) or ((345/561).clss))		
-	39747	(object adj1 oriented) or super?class\$3 or	USPAT;	2004/10/08 16:33
		sub?class\$2 or inheritance	US-PGPUB; EPO; JPO;	
		·	DERWENT;	
ļ			IBM TDB	
-	77	(((((logical or boolean) with (operat\$4 or	USPĀT;	2004/10/08 16:41
		expression\$1 or value\$1 or variable\$1 or	US-PGPUB;	
		argument\$1 or parameter\$1 or function\$1 or	EPO; JPO; DERWENT;	
1		operand\$1)) and (source adj2 (code or program\$1))) and ((statement\$1 or	IBM TDB	
		instruction\$1 or command\$1 or assignment\$1	1511_155	
!		or declarat\$4 or expression\$1))) and		
	•	(((717/117 or 717/114 or 717/143 or		
ļ		717/142 or 717/144 or 326/7 or		
ĺ		326/104).clss) or ((345/561).clss))) and ((object adj1 oriented) or super?class\$3		
		or sub?class\$2 or inheritance)		
_	5854		USPAT;	2004/10/08 16:42
		monitor\$3 or validat\$3 or verifi\$3 or	US-PGPUB;	
		verify\$3) with ((logical or boolean) with	EPO; JPO;	
i		(operat\$4 or expression\$1 or value\$1 or	DERWENT;	
		<pre>variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1))</pre>	IBM_TDB	
		riunctional or operandall)	i	i .

		1 40		10001110100
-	8	((evaluat\$3 or analyz\$3 or examin\$3 or	USPAT;	2004/10/08 16:46
		monitor\$3 or validat\$3 or verifi\$3 or	US-PGPUB;	
		verify\$3) with ((logical or boolean) with	EPO; JPO;	
		(operat\$4 or expression\$1 or value\$1 or	DERWENT;	
		variable\$1 or argument\$1 or parameter\$1 or	IBM_TDB	
		function\$1 or operand\$1))) and		
		((((((logical or boolean) with (operat\$4		
		or expression\$1 or value\$1 or variable\$1		
		or argument\$1 or parameter\$1 or function\$1		·
	•	or operand\$1)) and (source adj2 (code or		
	}	program\$1))) and ((statement\$1 or		
		instruction\$1 or command\$1 or assignment\$1		
		or declarat\$4 or expression\$1))) and		
	1	(((717/117 or 717/114 or 717/143 or		
		717/142 or 717/144 or 326/7 or		
	ĺ	326/104).clss) or ((345/561).clss))) and		
	1	((object adj1 oriented) or super?class\$3		
		or sub?class\$2 or inheritance))		
-	221	((track\$3 or report\$3 or output\$3 or	USPAT;	2004/10/08 16:49
•		display\$3 or calculat\$3) with (boolean	US-PGPUB;	
		with (value\$1 or result\$1 or expression\$1	EPO; JPO;	
		or function\$1 or operand\$1 or argument\$1	DERWENT;	
	l	or parameter\$1 or variable\$1))) and	IBM_TDB	
		(((logical or boolean) with (operat\$4 or		
		expression\$1 or value\$1 or variable\$1 or		
		argument\$1 or parameter\$1 or function\$1 or		
		operand\$1)) and (source adj2 (code or		
		program\$1)))		
-	3	(((track\$3 or report\$3 or output\$3 or	USPAT;	2004/10/08 16:50
	1	display\$3 or calculat\$3) with (boolean	US-PGPUB;	
		with (value\$1 or result\$1 or expression\$1	EPO; JPO;	
		or function\$1 or operand\$1 or argument\$1	DERWENT;	
		or parameter\$1 or variable\$1))) and	IBM TDB	
		(((logical or boolean) with (operat\$4 or	_	
		expression\$1 or value\$1 or variable\$1 or		
		argument\$1 or parameter\$1 or function\$1 or		
		operand\$1)) and (source adj2 (code or		
		program\$1)))) and (((717/117 or 717/114 or		
		717/143 or 717/142 or 717/144 or 326/7 or		
		326/104).clss) or ((345/561).clss))		
_	3462		USPAT;	2004/10/08 18:17
		report\$3 or output\$3 or display\$3 or	US-PGPUB;	
		calculat\$3) with (boolean with (value\$1 or	EPO; JPO;	
		result\$1 or expression\$1 or function\$1 or	DERWENT;	
		operand\$1 or argument\$1 or parameter\$1 or	IBM TDB	
.]		variable\$1))	_	
] -	365	((evaluat\$4 or debug\$4 or track\$3 or	USPAT;	2004/10/08 16:54
		report\$3 or output\$3 or display\$3 or	US-PGPUB;	
		calculat\$3) with (boolean with (value\$1 or	EPO; JPO;	İ
		result\$1 or expression\$1 or function\$1 or	DERWENT;	
		operand\$1 or argument\$1 or parameter\$1 or	IBM_TDB	
		variable\$1))) and (((logical or boolean)	_	
1		with (operat\$4 or expression\$1 or value\$1		
•		or variable\$1 or argument\$1 or parameter\$1		
		or function\$1 or operand\$1)) and (source		
		adj2 (code or program\$1)))		
-	12	(((evaluat\$4 or debug\$4 or track\$3 or	USPAT;	2004/10/08 16:54
1		report\$3 or output\$3 or display\$3 or	US-PGPUB;	
		calculat\$3) with (boolean with (value\$1 or	EPO; JPO;	
		result\$1 or expression\$1 or function\$1 or	DERWENT;	
		operand\$1 or argument\$1 or parameter\$1 or	IBM_TDB	
		variable\$1))) and (((logical or boolean)	_	,
		with (operat\$4 or expression\$1 or value\$1		
		or variable\$1 or argument\$1 or parameter\$1		
		or function\$1 or operand\$1)) and (source		
		adj2 (code or program\$1)))) and (((717/117		
		or 717/114 or 717/143 or 717/142 or		
		717/144 or 326/7 or 326/104).clss) or		
	1	((345/561).clss))		

-	13044	(boolean with (value\$1 or result\$1 or	USPAT;	2004/10/08 16:58
		<pre>expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))</pre>	US-PGPUB; EPO; JPO;	
		algument of parameter of variable (1)	DERWENT;	
			IBM TDB	
_	4499	((boolean with (value\$1 or result\$1 or	USPAT;	2004/10/08 16:59
		expression\$1 or function\$1 or operand\$1 or	US-PGPUB;	
		argument\$1 or parameter\$1 or variable\$1)))	EPO; JPO;	
		same ((evaluat\$4 or debug\$4 or track\$3 or	DERWENT;	
		report\$3 or output\$3 or display\$3 or	IBM_TDB	
		calculat\$3) with (value\$1 or result\$1 or		
		<pre>expression\$1 or function\$1 or operand\$1 or argument\$1 or parameter\$1 or variable\$1))</pre>		
l _	497	(((boolean with (value\$1 or result\$1 or	USPAT;	2004/10/08 16:59
	35'	expression\$1 or function\$1 or operand\$1 or	US-PGPUB;	2004/10/00 10:33
		argument\$1 or parameter\$1 or variable\$1)))	EPO; JPO;	
		same ((evaluat\$4 or debug\$4 or track\$3 or	DERWENT;	
		report\$3 or output\$3 or display\$3 or	IBM_TDB	
		calculat\$3) with (value\$1 or result\$1 or	_	
		expression\$1 or function\$1 or operand\$1 or		
		argument\$1 or parameter\$1 or variable\$1)))		
		and (((logical or boolean) with (operat\$4 or expression\$1 or value\$1 or variable\$1		
		or expressions or values or variables or arguments or parameters or functions		
,	1	or operand\$1)) and (source adj2 (code or		
		program\$1)))		
-	21		USPAT;	2004/10/08 17:48
		expression\$1 or function\$1 or operand\$1 or	US-PGPUB;	
		argument\$1 or parameter\$1 or variable\$1)))	EPO; JPO;	
		same ((evaluat\$4 or debug\$4 or track\$3 or	DERWENT;	
		report\$3 or output\$3 or display\$3 or	IBM_TDB	
		calculat\$3) with (value\$1 or result\$1 or expression\$1 or function\$1 or operand\$1 or		
		argument\$1 or parameter\$1 or variable\$1)))		
-		and (((logical or boolean) with (operat\$4		
		or expression\$1 or value\$1 or variable\$1		
		or argument\$1 or parameter\$1 or function\$1		
		or operand\$1)) and (source adj2 (code or		
		program\$1)))) and (((717/117 or 717/114 or		
		717/143 or 717/142 or 717/144 or 326/7 or	:	
	65.40	326/104).clss) or ((345/561).clss))	IICDAM.	2004/10/08 17:58
-	6549	(evaluat\$3 or pars\$3) with (((Bool or Boolean or logical) with (expression\$1 or	USPAT; US-PGPUB;	2004/10/06 17:36
		statement\$1 or operat\$4 or condition\$1))	EPO; JPO;	
		or ("IF" with "THEN") or loop\$1)	DERWENT;	
			IBM_TDB	
-	1443	(717/124 or 717/136 or 717/139 or	USPĀT;	2004/10/08 17:58
		717/140).clss	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	115	(((717/124 or 717/136 or 717/139 or	USPAT;	2004/10/08 17:58
	113	717/140).clss) or (((717/117 or 717/114 or	US-PGPUB;	2001,10,00 17.50
		717/143 or 717/142 or 717/144 or 326/7 or	EPO; JPO;	
		326/104).clss) or ((345/561).clss))) and	DERWENT;	
	,	((evaluat\$3 or pars\$3) with (((Bool or	IBM_TDB	
		Boolean or logical) with (expression\$1 or	_	
		statement\$1 or operat\$4 or condition\$1))		
	-	or ("IF" with "THEN") or loop\$1))	HODAE	2004/10/00 10:15
-	73	1 , , , , , , , , , , , , , , , , , , ,	USPAT; US-PGPUB;	2004/10/08 18:15
		717/140).clss) or (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or	EPO; JPO;	
		326/104).clss) or ((345/561).clss))) and	DERWENT;	
		((evaluat\$3 or pars\$3) with (((Bool or	IBM TDB	
		Boolean or logical) with (expression\$1 or	_	
		statement\$1 or operat\$4 or condition\$1))		
		or ("IF" with "THEN") or loop\$1))) and		
		(source adj2 (code or program\$1))	<u> </u>	

[=	34904	(logical or bool or boolean) with ("OR" or	USPAT;	2004/10/08 18:16
		"AND")	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	1069	((logical or bool or boolean) with ("OR" or "AND")) and (((logical or boolean) with	USPAT; US-PGPUB;	2004/10/08 18:16
		(operat\$4 or expression\$1 or value\$1 or	EPO; JPO;	
		variable\$1 or argument\$1 or parameter\$1 or	DERWENT;	
		<pre>function\$1 or operand\$1)) and (source adj2 (code or program\$1)))</pre>	IBM_TDB	
-	17277	(pars\$3 or evaluat\$4 or debug\$4 or track\$3	USPAT;	2004/10/08 18:18
		or report\$3 or output\$3 or display\$3 or calculat\$3) with ((logical or bool or	US-PGPUB;	
		boolean) with ("OR" or "AND"))	EPO; JPO; DERWENT;	,
	240	(///	IBM_TDB	0004/10/00 10 10
-	242	(((logical or bool or boolean) with ("OR" or "AND")) and (((logical or boolean) with	USPAT; US-PGPUB;	2004/10/08 18:18
		(operat\$4 or expression\$1 or value\$1 or	EPO; JPO;	
		<pre>variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1)) and (source adj2</pre>	DERWENT;	
	-	(code or program\$1)))) and ((pars\$3 or	IBM_TDB	
		evaluat\$4 or debug\$4 or track\$3 or		
		report\$3 or output\$3 or display\$3 or calculat\$3) with ((logical or bool or		
		boolean) with ("OR" or "AND")))		
_	14	((((logical or bool or boolean) with ("OR" or "AND")) and (((logical or boolean) with	USPAT; US-PGPUB;	2004/10/08 18:18
		(operat\$4 or expression\$1 or value\$1 or	EPO; JPO;	
		variable\$1 or argument\$1 or parameter\$1 or	DERWENT;	
		<pre>function\$1 or operand\$1)) and (source adj2 (code or program\$1)))) and ((pars\$3 or</pre>	IBM_TDB	
		evaluat\$4 or debug\$4 or track\$3 or		
		report\$3 or output\$3 or display\$3 or calculat\$3) with ((logical or bool or		
		boolean) with ("OR" or "AND")))) and		
		(((717/124 or 717/136 or 717/139 or		
		717/140).clss) or (((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or		
		326/104).clss) or ((345/561).clss)))		
-	24	((short adj1 circuit) with evaluat\$3) and ((bool\$3 or logical) near4 (expression\$1	USPAT; US-PGPUB;	2004/10/12 13:39
		or statement\$1 or operator\$1 or	EPO; JPO;	
		operation\$1))	DERWENT;	
-	10811	(concurrent\$2 or simultaneous\$2 or	IBM_TDB USPAT;	2004/10/12 13:44
		synchronous\$2 or synchroniz\$3) with	US-PGPUB;	
		evaluat\$3	EPO; JPO; DERWENT;	
			IBM_TDB	
-	381	((concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3) with	USPAT; US-PGPUB;	2004/10/12 13:21
		evaluat\$3) and ((bool\$3 or logical) near4	EPO; JPO;	,
		(expression\$1 or statement\$1 or operator\$1	DERWENT;	
_	2757	or operation\$1)) ((717/124 or 717/136 or 717/139 or	IBM_TDB USPAT;	2004/10/12 13:22
		717/140).clss) or (((717/117 or 717/114 or	US-PGPUB;	
		717/143 or 717/142 or 717/144 or 326/7 or 326/104).clss) or ((345/561).clss))	EPO; JPO; DERWENT;	
			IBM_TDB	
-	1508	((717/117 or 717/114 or 717/143 or 717/142 or 717/144 or 326/7 or 326/104).clss) or	USPĀT; US-PGPUB;	2004/10/12 13:22
		((345/561).clss)	EPO; JPO;	
			DERWENT;	
-	2757	(((717/117 or 717/114 or 717/143 or	IBM_TDB USPAT;	2004/10/12 13:22
		717/142 or 717/144 or 326/7 or	US-PGPUB;	
		326/104).clss) or ((345/561).clss)) or (((717/124 or 717/136 or 717/139 or	EPO; JPO; DERWENT;	
		717/140).clss) or (((717/117 or 717/114 or	IBM_TDB	
		717/143 or 717/142 or 717/144 or 326/7 or	_	
	L	326/104).clss) or ((345/561).clss)))	l	

_	5	(((concurrent\$2 or simultaneous\$2 or	USPAT;	2004/10/12 13:22
		synchronous\$2 or synchroniz\$3) with	US-PGPUB;	
		evaluat\$3) and ((bool\$3) near4	EPO; JPO;	
	-	(expression\$1 or statement\$1 or operator\$1	DERWENT;	
		or operation(\$1))) and ((((717/117 or	IBM_TDB	
		717/114 or 717/143 or 717/142 or 717/144		
:		or 326/7 or 326/104).clss) or		
:		((345/561).clss)) or (((717/124 or 717/136		
		or 717/139 or 717/140).clss) or (((717/117) or 717/114 or 717/143 or 717/142 or		
		717/144 or 326/7 or 326/104).clss) or		
	140	((345/561).clss))))	HCDAT.	2004/10/12 13:26
_	140	((concurrent\$2 or simultaneous\$2 or synchronous\$2 or synchroniz\$3) with	USPAT; US-PGPUB;	2004/10/12 13:26
· .		evaluat\$3) and ((bool\$3) near4	EPO; JPO;	
		(expression\$1 or statement\$1 or operator\$1	DERWENT;	
1		or operation(1))	IBM TDB	
_	79	(((concurrent\$2 or simultaneous\$2 or	ÚSPAT;	2004/10/12 13:25
	'	synchronous\$2 or synchroniz\$3) with	US-PGPUB;	2004/10/12 13.23
		evaluat\$3) and ((bool\$3) near4	EPO; JPO;	
		(expression\$1 or statement\$1 or operator\$1	DERWENT;	
-		or operation(1))) and @pd<20020116	IBM TDB	
_	7	((concurrent\$2 or simultaneous\$2 or	USPAT;	2004/10/12 13:26
	·	synchronous\$2 or synchroniz\$3) with	US-PGPUB;	2004/10/12 13:20
		evaluat\$3) with ((bool\$3) near4	EPO; JPO;	'
		(expression\$1 or statement\$1 or operator\$1	DERWENT;	
		or operation(1))	IBM TDB	
l _	· 11	((short adj1 circuit) with evaluat\$3)	USPAT;	2004/10/12 13:40
	**	with ((bool\$3 or logical) near4	US-PGPUB;	2001/10/12 13.40
		(\$3expression\$1 or \$3statement\$1 or	EPO; JPO;	
		operator\$1 or operation\$1 or condition\$1))	DERWENT;	
			IBM TDB	,
_	13	((concurrent\$2 or simultaneous\$2 or	USPAT;	2004/10/12 13:45
		synchronous\$2 or synchroniz\$3) with	US-PGPUB;	
		evaluat\$3) with ((bool\$3 or logical)	EPO; JPO;	
		near4 (\$3expression\$1 or \$3statement\$1 or	DERWENT;	
		operator\$1 or operation\$1 or condition\$1))	IBM TDB	1
-	11452	(concurrent\$2 or simultaneous\$2 or	USPAT;	2004/10/12 13:45
		synchronous\$2 or synchroniz\$3 or (at adj2	US-PGPUB;	
		"same" adj2 time)) with evaluat\$3	EPO; JPO;	,
	·		DERWENT;	
			IBM TDB	
_	. 14	((concurrent\$2 or simultaneous\$2 or	USPAT;	2004/10/12 15:26
		synchronous\$2 or synchroniz\$3 or (at adj2	US-PGPUB;	
		"same" adj2 time)) with evaluat\$3) with	EPO; JPO;	•
		((bool\$3 or logical) near4 (\$3expression\$1	DERWENT;	
		or \$3statement\$1 or operator\$1 or	IBM_TDB	
		operation\$1 or condition\$1))		
-	107059	switch with case\$1	USPAT;	2004/10/12 15:28
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/10/50 55 55
-	60221	program\$4 with language\$1	USPAT;	2004/10/12 15:26
			US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
		\(\text{\frac{1}{2}} \)	IBM_TDB	0004/10/10 15 05
_	60	(switch with case\$1) same (program\$4 with	USPAT;	2004/10/12 15:27
		language\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1004	avitab nasma sanatmyat	IBM_TDB	2004/10/12 15:00
-	1094	switch near4 construct	USPAT;	2004/10/12 15:28
			US-PGPUB;	
		·	EPO; JPO;	
	1		DERWENT; IBM TDB	
I	I		מתו ומסדו	i l

With language\$1)	- 	6	(switch near4 construct) same (program\$4	USPAT;	2004/10/12 15:28
EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT); IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; ISM					
DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; USPĀ			,	1	
-			,		
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO;				IBM TDB	
14361 bool\$3 near5 (operat\$4 or \$3expression\$1 USPAT; IBM_TDB 2004/10/12 1 or value\$1 or variable\$1 or argument\$1 or USPAT; USPAT; IBM_TDB 2004/10/12 1 USPAT;	_	21415	("713").CLAS.	USPĀT;	2004/10/12 15:43
DERWENT; IBM_TDB USPAT; or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3 statement\$1) 487 (("713").CLAS.) and (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1)) 665 (short adj1 circuit) with evaluat\$3 (("713").CLAS.) and (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB				US-PGPUB;	
14361 bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or berwent; SPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;				EPO; JPO;	
14361 bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1) USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO;				DERWENT;	
or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or DERWENT; IBM_TDB (("713").CLAS.) and (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1)) (short adj1 circuit) with evaluat\$3 (("713").CLAS.) and (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB				IBM TDB	
parameter\$1 or function\$1 or operand\$1 or \$3statement\$1) - 487 (("713").CLAS.) and (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1)) - 665 (short adj1 circuit) with evaluat\$3 - 3 ((("713").CLAS.) and (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or value\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or value\$1	_	14361	bool\$3 near5 (operat\$4 or \$3expression\$1	USPĀT;	2004/10/12 15:45
\$3statement\$1) 487 (("713").CLAS.) and (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1)) 665 (short adj1 circuit) with evaluat\$3 (("713").CLAS.) and (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or value\$1 or variable\$1 or argument\$1 or value\$1 or variable\$1 or argument\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or parameter\$1 or function\$1 or operand\$1 or parameter\$1 or function\$1 or operand\$1 or value\$1 or function\$1 or operand\$1 or parameter\$1 or function\$1 or operand\$1 or value\$1 or valu			or value\$1 or variable\$1 or argument\$1 or	US-PGPUB;	
- 487 (("713").CLAS.) and (bool\$3 near5			parameter\$1 or function\$1 or operand\$1 or	EPO; JPO;	
- 487 (("713").CLAS.) and (bool\$3 near5			\$3statement\$1)	DERWENT;	
<pre>(operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1)) - 665 (short adj1 circuit) with evaluat\$3 ((("713").CLAS.) and (bool\$3 near5</pre>					
variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1)) (short adj1 circuit) with evaluat\$3 (("713").CLAS.) and (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or \$3statement\$1)) and ((short adj1 circuit) with evaluat\$3 (("713").CLAS.) and (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT; IBM TDB with evaluat\$3) 41 (("713").CLAS.) and (bool\$3 near5 USPAT; USPAT; 2004/10/12 1	-	487			2004/10/12 15:45
function\$1 or operand\$1 or \$3statement\$1)) (short adj1 circuit) with evaluat\$3 (short adj1 circuit) with evaluat\$3 (uspat; uspat; us			(operat\$4 or \$3expression\$1 or value\$1 or		
- 665 (short adj1 circuit) with evaluat\$3 IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1)) and ((short adj1 circuit) with evaluat\$3) 41 ((("713").CLAS.) and (bool\$3 near5 USPAT; 2004/10/12 1					
- 665 (short adj1 circuit) with evaluat\$3 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1)) and ((short adj1 circuit) with evaluat\$3) 41 ((("713").CLAS.) and (bool\$3 near5 USPAT; 2004/10/12 1			<pre>function\$1 or operand\$1 or \$3statement\$1))</pre>	1	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1)) and ((short adj1 circuit) with evaluat\$3) 41 ((("713").CLAS.) and (bool\$3 near5 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; 2004/10/12 1					
- 3 ((("713").CLAS.) and (bool\$3 near5 USPAT; 2004/10/12 1 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or parameter\$1 or perwent\$1	-	665	(short adj1 circuit) with evaluat\$3	1	2004/10/12 15:46
DERWENT; IBM_TDB USPAT; (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1)) and ((short adj1 circuit) with evaluat\$3) 41 ((("713").CLAS.) and (bool\$3 near5 DERWENT; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; 2004/10/12 1		,			
- 3 ((("713").CLAS.) and (bool\$3 near5 (operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or \$3statement\$1)) and ((short adj1 circuit) with evaluat\$3) 41 ((("713").CLAS.) and (bool\$3 near5 USPAT; 2004/10/12 1					
- 3 ((("713").CLAS.) and (bool\$3 near5 (Operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or parameter\$1 or pERWENT; \$3statement\$1)) and ((short adj1 circuit) with evaluat\$3) - 41 ((("713").CLAS.) and (bool\$3 near5 USPAT; 2004/10/12 1				1	
<pre>(operat\$4 or \$3expression\$1 or value\$1 or variable\$1 or argument\$1 or parameter\$1 or function\$1 or operand\$1 or perand\$1 perand\$2 per</pre>		_	<u></u>		
variable\$1 or argument\$1 or parameter\$1 or EPO; JPO; function\$1 or operand\$1 or DERWENT; \$3statement\$1)) and ((short adj1 circuit) IBM_TDB with evaluat\$3) 41 ((("713").CLAS.) and (bool\$3 near5 USPAT; 2004/10/12 1	-	3		1	2004/10/12 15:46
function\$1 or operand\$1 or					
\$3statement\$1))) and ((short adj1 circuit) IBM_TDB with evaluat\$3) - 41 ((("713").CLAS.) and (bool\$3 near5 USPAT; 2004/10/12 1				1]
with evaluat\$3) - 41 ((("713").CLAS.) and (bool\$3 near5 USPAT; 2004/10/12 1					
- 41 ((("713").CLAS.) and (bool\$3 near5 USPAT; 2004/10/12 1				TRW_LDR	
]	4.1		LICDAM.	2004/10/12 15-47
	-	41			2004/10/12 15:4/
variable\$1 or argument\$1 or parameter\$1 or EPO; JPO;					
function\$1 or operand\$1 or DERWENT;					
\$3statement\$1))) and (evaluat\$3 with IBM TDB				1	
(bool\$3 near5 (operat\$4 or \$3expression\$1				1 1011-100	
or value\$1 or variable\$1 or argument\$1 or					
parameter\$1 or function\$1 or operand\$1 or					
\$3statement\$1)))	* .		l +		